

# THE RESULT OF OVER 30 YEARS OF EXPERIENCE AND LISTENING TO CUSTOMER FEEDBACK

- UNIVERSAL POWER SUPPLY WORKS WORLDWIDE AND IS COMPLETELY UNAFFECTED BY VOLTAGE FLUCTUATIONS.
- BETTER-THAN-EVER TIP HEAT RECOVERY
- COMPATIBLE WITH
  EXISTING RAZERTIP® PENS
  AND ACCESSORIES
- CAN BE EASILY
  CONVERTED TO DOUBLE
  OR TRIPLE UNIT WITH
  AVAILABLE EXPANSION
  MODULES





"Revolutionary" is the word we've heard most when people experience the Razertip P80 for the first time. The P80 is the world's first pyrographic tool to incorporate a fully regulated, stabilized power supply and a digital touch-screen interface. Plug it in anywhere world-wide, input your desired heat setting and you're burning away in just a few seconds. With 700 heat settings the P80 can be set low enough to work with jeweller's wax (approx. 80 degrees C) to red-hot (800 degrees C). Voltage fluctuations don't phase the P80 at all - the tip temperature at your chosen heat setting stays rock-steady regardless of what's happening with the power available. The P80 offers better-than-ever tip heat recovery, and is compatible with all existing Razertip pens and accessories.

Each P80 or P80x includes an extra-flex pen cord (#CORD1P) which works beautifully with any Razertip pen or tip. The P80's unique power output means that heavy-duty cords are no longer needed to make a difference when burning with heavier tips.

The P80 is a single burner - but with a huge difference. Want a dual or triple burner? Quickly and easily add up to two P80x expansion modules (no tools required) for a versatile system that gives each pen its own heat setting and memory function. Toggle between pens by touching the screen you wish to use.

As with everything we make - the P80 is proudly made in Canada - right here at our facility - it's covered by our exclusive 3-year unconditional warranty, and it's safety-certified virtually world-wide. By simply changing the power cord, or using a suitable plug adapter, you can use your P80 anywhere.

# Expands to a Double or Triple Burner!



| P80 Base Unit cat# P80-NA-PS                         | . \$359.95 |
|--|------------|
| P80 Base Unit w/ standard pen cat# P80-NA-(F1Letc.)  | \$390.20   |
| <b>P80 Base Unit</b> w/HD pen cat# P80-NA-(HD1Letc.) | . \$394.45 |
| P80 Base Unit w/BPH pen<br>cat# P80-NA-BPH           | \$394.45   |

All P80 base unit and kit prices shown for North American (NA) units. Add \$10.00 for a power cord option for other country plugs: Australia (AU); Europe (EU); Great Britain (GB); Italy (IT); South Africa/India (SA) Examples: P80-EU-BPH P80-AU-HD1L P80-IT-KIT02

### **P80 Expansion Module**

cat# P80X .......\$259.95

Add-on module to convert P80 to double or triple burner
Must be connected to P80 Base Unit to operate; uses power from P80 Base Unit.

All P80 and P80x units are supplied with one extra-flex handpiece cord # CORD1P.

Replacement P80 handpiece cord cat# CORD1P ......\$20.50

All prices shown in CAD

## P80 Package #1 - Carving

#### Includes:

- 1- P80 Base Unit
- 1- Standard Cord #CORD1P
- 1- Tip Cleaner #CLEANER
- 1- Large Skew Std. pen #F1L
- 1- Small Spear Std. pen #F5S
- 1- Small Round Skew Std. pen #F7S
- 1- HD Quill Maker pen #HD5MC



## P80 Package #2 - Pyrography Includes:

- 1- P80 Base Unit
- 1- Standard Cord #CORD1P
- 1- Tip Cleaner #CLEANER
- 1- Medium Knife Std. pen #F14M
- 1- Small Round Std. pen #F2S
- 1- 1/16" Ball Std. pen #F99.015
- 1- HD Medium Shader pen #HD30M



## P80 Package #3 - Gourd Art

#### Includes:

- 1- P80 Base Unit
- 1- Standard Cord #CORD1P
- 1- Tip Cleaner #CLEANER
- 1- Small Skew Std. pen #F1S
- 1- 1/16" Ball Std. pen #F99.015
- 1- Gourd Cutter Std. pen #F9G.17
- 1- Med/Small Shader pen #HD5MSP



# P80 Package #4 - Woodturning Includes:

- 1- P80 Base Unit
- 1- Standard Cord #CORD1P
- 1- Tip Cleaner #CLEANER
- 2- Interchangeable-tip pens #BPH
- 1- Set of 5 ball tips #SET99X5
- 1- Pkg of assorted Tip wire #TW6.AST
- 1- HD Med Wide Spear pen #HD5MH
- 1- HD Spear Shader #HD5MP



All prices shown are in CAD

DC max.

### P80 Specifications:

Dimensions: 4.5"x4.5"x3.6" (115mm x 115mm x 91mm) Weight 9.9 oz. / 280 g Input: 100-240VAC, 50-60Hz, 1.0A Output: 6VDC, 8.0A DC max.

Heat Input Range: digitally input via 3.5" touch-screen, settings "100" to "800"

<sup>1</sup> Heat settings based on calculated tip temperature °C using a standard #1L tip. Actual tip temperature will depend on the tip used (heavier tips will run a bit cooler while smaller, lighter tips will run hotter)



Razertip Industries Inc.

- PO Box 910, 301- 9th Street North, Martensville, SK Canada S0K 2T0
   Phone 306-931-0889 Toll-free order line 1-877-729-3787
- · Email: info@razertip.com · Information & free catalogue at razertip.com